



TOOLS & EQUIPMENT

4 WHEELER INDUSTRY

CIA-2



GROZ



EMPOWERING MOBILITY

WITH HIGH QUALITY GROZ TOOLS

GROZ is recognized as a premium manufacturer of high quality tools and equipment proudly serving professionals around the world. With over 50 years of engineering excellence, we have earned global trust across 85+ countries. Our specialized range for India's dynamic 4-wheeler sector is designed to meet the rigorous demands of modern mobility—offering unmatched durability, precision, and ease of use. From workshops to service centers, GROZ empowers technicians and mechanics to work smarter, safer, and faster—ensuring every job meets the highest standards of quality and efficiency.

CLUB HAMMERS

INDESTRUCTIBLE HANDLE

CHID



Heavy Duty

CAT NR.	DESCRIPTION / SIZE
Heavy Duty	
CHID/2.5/12	Head weight : 1.1 kg Overall length : 300 mm
CHID/4/12	Head weight : 1.8 kg Overall length : 300 mm
CHID/4/16	Head weight : 1.8 kg Overall length : 400 mm



Soft Face

CAT NR.	DESCRIPTION / SIZE
Soft Face	
CHID/SF/2.5/12	Head weight : 1.1 kg Overall length : 300 mm
CHID/SF/4/12	Head weight : 1.8 kg Overall length : 300 mm

BALL PEIN HAMMER

STEEL HANDLE

BPLV



CAT NR.	DESCRIPTION / SIZE
BPLV/32	Head Weight : 900 gms Overall Length : 375 mm

DEAD BLOW HAMMERS

FIBREGLASS HANDLE
POLYURETHANE HEADS

DBFG



CAT NR.	DESCRIPTION / SIZE
DBFG/28/12/UU	Head Weight : 793 gms Face Dia : 49.4 mm
DBFG/45/13/UU	Head Weight : 1275 gms Face Dia : 57.4 mm

BALL PEIN HAMMERS

FIBREGLASS HANDLE

BPFG



CAT NR.	DESCRIPTION / SIZE
BPFG/4/11	Head Weight : 112 gms Overall Length : 280 mm
BPFG/8/12	Head Weight : 226 gms Overall Length : 300 mm
BPFG/12/13	Head Weight : 340 gms Overall Length : 330 mm
BPFG/16/13	Head Weight : 450 gms Overall Length : 330 mm
BPFG/24/14	Head Weight : 680 gms Overall Length : 350 mm
BPFG/32/14	Head Weight : 900 gms Overall Length : 350 mm
BPFG/40/16	Head Weight : 1130 gms Overall Length : 400 mm
BPFG/48/16	Head Weight : 1360 gms Overall Length : 400 mm



RUBBER MALLET

FIBREGLASS HANDLE

350 MM

MLTR-FG



CAT NR.	DESCRIPTION / SIZE
MLTR/16B/FG	Head Weight : 453 gms Head Colour : Black
MLTR/16W/FG	Head Weight : 453 gms Head Colour : White
MLTR/20B/FG	Head Weight : 567 gms Head Colour : Black
MLTR/20W/FG	Head Weight : 567 gms Head Colour : Black

HARD WOOD HANDLE

350 MM

MLTR-BW



CAT NR.	DESCRIPTION / SIZE
MLTR/16B/BW	Head Weight : 453 gms Head Colour : Black
MLTR/16W/BW	Head Weight : 453 gms Head Colour : White
MLTR/20B/BW	Head Weight : 567 gms Head Colour : Black
MLTR/20W/BW	Head Weight : 567 gms Head Colour : Black

HICKORY WOOD HANDLE

350 MM

MLTR-HW



CAT NR.	DESCRIPTION / SIZE
MLTR/16B/HW	Head Weight : 453 gms Head Colour : Black
MLTR/16W/HW	Head Weight : 453 gms Head Colour : White
MLTR/20B/HW	Head Weight : 567 gms Head Colour : Black
MLTR/20W/HW	Head Weight : 567 gms Head Colour : Black




DOUBLE FACE PLASTIC MALLET

PLASTIC & RUBBER HEAD

HMR-SF



CAT NR.	DESCRIPTION / SIZE
HMR/SF/25	Head Dia. : 35 mm



27 INCH ROLLING TOOL CABINETS

S-10D SERIES

7 DRAWERS



CAT NR.	DESCRIPTION / SIZE
RTC/27-10D/1/GRZ	Dim. : 680 × 467 × 1000 mm Load Bearing Capacity (Trolley) : 300 kg Load Bearing Capacity (Drawer) : 25 kg

S-10D SERIES

5 DRAWERS



CAT NR.	DESCRIPTION / SIZE
RTC/27-10D/2/GRZ	Dim. : 680 × 467 × 1000 mm Load Bearing Capacity (Trolley) : 300 kg Load Bearing Capacity (Drawer) : 25 kg

WORK BENCH

HEAVY DUTY

WBN



CAT NR.	DESCRIPTION / SIZE
WBN/60-20/1/OR/GRZ	Dim. : 1525 × 785 × 925 mm Load Bearing Capacity : 545 kg

MINI TOOL BOX

WITH LID

TCHL



CAT NR.	DESCRIPTION / SIZE
TCHL/11-10D/1/OR/GRZ	Dim. : 270 × 150 × 155 mm Load Bearing Capacity (Tool Box) : 4.5 kg Load Bearing Capacity (Drawer) : 2.2 kg

S-10**SERIES**

7 DRAWERS



CAT NR.	DESCRIPTION / SIZE
RTC/27-10/3/GRZ	Dim. : 680 × 467 × 1000 mm Load Bearing Capacity (Trolley) : 400 kg Load Bearing Capacity (Drawer) : 25 kg

S-20**SERIES**

7 DRAWERS



CAT NR.	DESCRIPTION / SIZE
RTC/27-20/1/GRZ	Dim. : 680 × 467 × 1000 mm Load Bearing Capacity (Trolley) : 500 kg Load Bearing Capacity (Drawer) : 45 kg

CANTILEVER TOOL BOX

5 TRAY

MTB-5

CAT NR.	DESCRIPTION / SIZE
MTB/5	Dim. : 440 x 200 x 200 mm Load Bearing Capacity : 35 Kg



CANTILEVER TOOL BOX WITH TOOLS

5 TRAY
64 PCS

MTB5-64




CAT NR.	DESCRIPTION / SIZE
MTB/5/64/AU	64 pcs tools assortment for use in automotive workshops & service stations

5 TRAY
84 PCS

MTB5-84



CAT NR.	DESCRIPTION / SIZE
MTB/5/84/AU	84 pcs tools assortment for use in automotive workshops & service stations



NYLON TOOL BAG

X-LARGE

NTB-2



CAT NR.	DESCRIPTION / SIZE
NTB/2	Dim. : 455 × 280 × 300 mm Load Bearing Capacity : 60 Kg

LARGE

NTB-1



CAT NR.	DESCRIPTION / SIZE
NTB/1	Dim. : 420 × 260 × 300 mm Load Bearing Capacity : 30 Kg

MEDIUM

NTB-3



CAT NR.	DESCRIPTION / SIZE
NTB/3	Dim. : 300 × 225 × 140 mm Load Bearing Capacity : 10 Kg

BACK PACK

NTB-4



CAT NR.	DESCRIPTION / SIZE
NTB/4	Dim. : 490 × 350 × 430 mm

POWER & AIR TOOL HOLDER

WITH 3 NEODYMIUM MAGNETS

MPT



CAT NR.	DESCRIPTION / SIZE
MPT/1	Holds two standard size power tools & one jumbo size power tool

HANGING HOOK

WITH 1 NEODYMIUM MAGNET

MHK



CAT NR.	DESCRIPTION / SIZE
MHK/1	Max. Load Capacity: 10 kg (22 LBS)

CAN HOLDER

WITH 2 NEODYMIUM MAGNETS


MCH



CAT NR.	DESCRIPTION / SIZE
MCH/1	Maximum dia. upto 3-11/32" (85 mm) Max. Load Capacity: 10 kg (22 LBS)

MAGNETIC TOOL HOLDERS SET OF 2

WITH FERRITE MAGNETS



CAT NR.	DESCRIPTION / SIZE
MTH/12S/ST2	Dim. : 26 × 300 mm No. of magnets : 5
MTH/24S/ST2	Dim. : 26 × 600 mm No. of magnets : 11


FOLDABLE PADS

MAGNETIC

MPAD



CAT NR.	DESCRIPTION / SIZE
MPAD/F/5-18	140 × 450 mm
MPAD/F/8-11	210 × 280 mm
MPAD/F/11-19	280 × 480 mm



IMPACT WRENCH

1/2"

IPW-301



CAT NR.	DESCRIPTION / SIZE
IPW/301	Body Type : Aluminium Max Torque : 1223 Nm Net Weight : 2.56 Kg Mechanism : Twin Hammer Max. Nut Capacity : M16

TORQUE WRENCH RATCHETING

TQW-RT



CAT NR.	DESCRIPTION / SIZE
3/8" Drive	
TQW/RT/3-8/25	Torque Range : 5-25 Nm
TQW/RT/3-8/50	Torque Range : 10-50 Nm
1/2" Drive	
TQW/RT/1-2/100	Torque Range : 20-100 Nm
TQW/RT/1-2/200	Torque Range : 40-200 Nm
TQW/RT/1-2/340	Torque Range : 60-340 Nm

TORQUE WRENCH CUSHION GRIP

3/8" DRIVE

TQ-10



CAT NR.	DESCRIPTION / SIZE
TQ/10S/38-140N/G	Torque Range : 20 - 142 Nm
TQ/10S/12-200N/G	Torque Range : 40 - 200 Nm
TQ/10S/12-340N/G	Torque Range : 60 - 340 Nm


TORQUE EXTENSION BARS

10 PC SET

TQE



CAT NR.	DESCRIPTION / SIZE
TQE/1-2/ST10	Drive Size : 1/2" Overall length : 195 mm Torque Range : 90 - 205 Nm



BOTTLE JACK

JACK-BT



CAT NR.	DESCRIPTION / SIZE
JACK/BT/2W	Capacity : 2 Ton Lift Range : 175-339 mm
JACK/BT/4W	Capacity : 4 Ton Lift Range : 190-368 mm
JACK/BT/12W	Capacity : 12 Ton Lift Range : 230-465 mm

STRAP WRENCH

STW



CAT NR.	DESCRIPTION / SIZE
STW/12G	Handle Length : 300 mm Strap Length : 914 mm For objects with max dia : 175 mm

FLOOR JACK

JACK-FL



CAT NR.	DESCRIPTION / SIZE
JACK/FL/3D	Capacity : 3 Ton Lift Range : 133-465 mm



TYRE LEVERS

TLVR



CAT NR.	SIZE
TLVR/16	Length : 400 mm
TLVR/21	Length : 530 mm
TLVR/24	Length : 600 mm

ROLL HEAD/LADY FOOT PRY BARS

PRY



CAT NR.	DESCRIPTION / SIZE
PRY/18	Length : 457 mm


POCKET PRY BARS

3 PC SET

MPRY



CAT NR.	DESCRIPTION / SIZE
MPRY/3/ST	Length : 125 mm



AUTOMOTIVE MAINTENANCE TOOL KIT

13 PC SET

MPRY-13ST



CAT NR.	DESCRIPTION / SIZE
MPRY/13/ST	Set Includes: 1 pc Tack Lifter, 2 pcs Buckle Prying Tools (Small, Big), 2 pcs Mini Pry Bars (Straight, Angled), 7 pcs Screwdriver S2 steels bits (PH2, PZ2, SL5.5, T20, T25, T27, T30), 1/4" hex nut driver (CrV)



BEARING PULLERS

2 JAW

BPL-2J



CAT NR.	DESCRIPTION / SIZE
BPL/2J/3	Max. Reach : 75 mm Safe Working Load : 2 Ton
BPL/2J/4	Max. Reach : 100 mm Safe Working Load : 4 Ton
BPL/2J/6	Max. Reach : 150 mm Safe Working Load : 6 Ton
BPL/2J/8	Max. Reach : 200 mm Safe Working Load : 10 Ton

3 JAW

BPL-3J



CAT NR.	DESCRIPTION / SIZE
BPL/3J/3	Max. Reach : 75 mm Safe Working Load : 3 Ton
BPL/3J/4	Max. Reach : 100 mm Safe Working Load : 6 Ton
BPL/3J/6	Max. Reach : 150 mm Safe Working Load : 9 Ton
BPL/3J/8	Max. Reach : 200 mm Safe Working Load : 15 Ton

DRAIN PLUG REMOVER

MAGNETIC

MDR



CAT NR.	DESCRIPTION / SIZE
MDR/6	6" flexible shaft



HEXAGON KEY SETS

S2 STEEL

7 PC SET

ALN-HX7L



CAT NR.	DESCRIPTION / SIZE
ALN/HX-BL/7L/GRZ	Long - Ball End Metric: 2.5 mm - 10 mm

S2 STEEL

9 PC SET

EXTRA LONG

ALN-HX9EL



CAT NR.	DESCRIPTION / SIZE
ALN/HX-BL/9EL/GRZ	Extra Long - Ball End Metric: 1.5 mm - 10 mm

VDE SCREWDRIVERS

7 PC SET

SCDR-VDE



1000V SAFE



CAT NR.	DESCRIPTION / SIZE
SCDR/VDE/7/ST	4 Pc Slotted: 6.5 x 150 mm, 5.5 x 125mm, 4 x 100mm, 3 x 100mm 2 Pc Phillip: PH1 x 80mm, PH2 x 100mm 1 Pc Voltage Tester: 110-230V Single Pole

S2 STEEL

9 PC SET

TORX STAR

ALN-TX9L



CAT NR.	DESCRIPTION / SIZE
ALN/TX-TX/9L/GRZ	Long - Torx Star T10 - T50

HEXAGON KEY SETS

CHROME VANADIUM
8 PC SET

ALN-HX8



CHROME VANADIUM
10 PC SET

ALN-HX10



CAT NR.	DESCRIPTION / SIZE
ALN/HX-HX/8/GRZ	Metric : 1.5 mm - 6 mm

CAT NR.	DESCRIPTION / SIZE
ALN/HX-HX/10/GRZ	Metric : 1.5 mm - 10 mm

CHROME VANADIUM
25 PC SET

ALN-HX25



CHROME VANADIUM
7 PC SET

ALN-HX7



CAT NR.	DESCRIPTION / SIZE
ALN/HX-HX/25/GRZ	Metric & Imperial 13 pcs Metric : 1.5 mm - 10 mm 12 pcs Imperial : 1/16" - 3/8"

CAT NR.	DESCRIPTION / SIZE
ALN/HX-HX/7/GRZ	Metric : 2.5 mm - 10 mm

CHROME VANADIUM
8 PC SET
TORX

ALN-TX8



CAT NR.	DESCRIPTION / SIZE
ALN/TX-TX/8/GRZ	8 Pc Tamper Torx Key Set T9 - T40

BENCH VICES

FIXED BASE
20,000 PSI TENSILE STRENGTH

BV-F



CAT NR.	DESCRIPTION
BV/F/100	Jaw width : 100 mm Jaw opening : 125 mm Net wt. : 9.7 Kg
BV/F/125	Jaw width : 125 mm Jaw opening : 150 mm Net wt. : 14.7 Kg
BV/F/150	Jaw width : 150 mm Jaw opening : 175 mm Net wt. : 18.2 Kg

CIRCLIP PLIERS

40-45 HRC

CLP



CAT NR.	SIZE
CLP/ST/E/150	Length: 150 mm, External Straight
CLP/ST/E/175	Length: 175 mm, External Straight
CLP/ST/I/150	Length: 150 mm, Internal Straight
CLP/ST/I/175	Length: 175 mm, Internal Straight
CLP/BND/E/150	Length: 150 mm, External Bent
CLP/BND/E/175	Length: 175 mm, External Bent
CLP/BND/I/150	Length: 150 mm, Internal Bent
CLP/BND/I/175	Length: 175 mm, Internal Bent


LONG NOSE PLIERS

35-50 HRC

LNP-CV



**1000V
SAFE**



CAT NR.	SIZE
LNP/CV/6 #1	Length : 150 mm
LNP/CV/7#1	Length : 175 mm
LNP/CV/8 #1	Length : 200 mm

SIDE CUTTING PLIERS

35-50 HRC

SCP-CV



**1000V
SAFE**

CAT NR.	SIZE
SCP/CV/6 #1	Length : 150 mm
SCP/CV/7#1	Length : 175 mm

COMBINATION PLIERS

35-50 HRC

CPL-CV



**1000V
SAFE**

CAT NR.	DESCRIPTION / SIZE
CPL/CV/6#1	Length : 150 mm
CPL/CV/7#1	Length : 175 mm
CPL/CV/8 #1	Length : 200 mm

REVERSIBLE RATCHETING SPANNERS

CHROME VANADIUM

CSP-RRT

CAT NR.	SIZE
CSP/RRT/8/UG	8 mm
CSP/RRT/10/UG	10 mm
CSP/RRT/12/UG	12 mm
CSP/RRT/13/UG	13 mm
CSP/RRT/14/UG	14 mm
CSP/RRT/17/UG	17 mm
CSP/RRT/19/UG	19 mm
CSS/RRT/7ST/UG	7 pcs Spanners Set Sizes: 8, 10, 12, 13, 14, 17, 19 mm



ADJUSTABLE WRENCHES

38-46 HRC

AWR

CAT NR.	SIZE
AWR/CV/8	Length: 200 mm
AWR/CV/10	Length: 250 mm
AWR/CV/12	Length: 300 mm



RING SPANNERS

RSP

CAT NR.	SIZE
RSP/SF/6-7/S	6 x 7 mm
RSP/SF/8-9/S	8 x 9 mm
RSP/SF/10-11/S	10 x 11 mm
RSP/SF/12-13/S	12 x 13 mm
RSP/SF/14-15/S	14 x 15 mm
RSP/SF/16-17/S	16 x 17 mm
RSP/SF/18-19/S	18 x 19 mm
RSP/SF/20-22/S	20 x 22 mm
RSP/SF/21-23/S	21 x 23 mm
RSP/SF/24-27/S	24 x 27 mm
RSP/SF/25-28/S	25 x 28 mm
RSP/SF/30-32/S	30 x 32 mm
RSS/SF/12/ST	12 pc Metric Set: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32 mm



HACKSAW FRAME PROFESSIONAL

8,000 PSI TENSILE STRENGTH

HF12



CAT NR.	DESCRIPTION
HF12/RB	Black plated frame with red powder coated handle Complete with 12" (300 mm) chrome alloy steel blade

DOUBLE END SPANNERS

DOSP

CAT NR.	SIZE
DOSP/SF/6-7/S	6 x 7 mm
DOSP/SF/8-9/S	8 x 9 mm
DOSP/SF/10-11/S	10 x 11 mm
DOSP/SF/12-13/S	12 x 13 mm
DOSP/SF/14-15/S	14 x 15 mm
DOSP/SF/16-17/S	16 x 17 mm
DOSP/SF/18-19/S	18 x 19 mm
DOSP/SF/20-22/S	20 x 22 mm
DOSP/SF/21-23/S	21 x 23 mm
DOSP/SF/24-27/S	24 x 27 mm
DOSP/SF/25-28/S	25 x 28 mm
DOSP/SF/30-32/S	30 x 32 mm
DOSS/SF/12/ST	12 pc Metric Set: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32 mm



HANDYMAN'S HACKSAW

6,000 PSI TENSILE STRENGTH

HF15



CAT NR.	DESCRIPTION / SIZE
HF15/BS	Aluminium Die cast handle with tubular frame Adjustable for 10" & 12" blade Complete with 12" (300 mm) chrome alloy steel blade

HAND SOCKETS

HEX
3/8" DRIVE

SKT-38H



CAT NR.	SIZE
SKT/H/3-8/6/UG	6 mm
SKT/H/3-8/7/UG	7 mm
SKT/H/3-8/8/UG	8 mm
SKT/H/3-8/9/UG	9 mm
SKT/H/3-8/10/UG	10 mm
SKT/H/3-8/11/UG	11 mm
SKT/H/3-8/12/UG	12 mm
SKT/H/3-8/13/UG	13 mm
SKT/H/3-8/14/UG	14 mm
SKT/H/3-8/15/UG	15 mm
SKT/H/3-8/16/UG	16 mm
SKT/H/3-8/17/UG	17 mm
SKT/H/3-8/18/UG	18 mm
SKT/H/3-8/19/UG	19 mm
SKT/H/3-8/20/UG	20 mm
SKT/H/3-8/21/UG	21 mm
SKT/H/3-8/22/UG	22 mm



HAND SOCKETS

HEX DEEP
1/2" DRIVE

SKT-12H



CAT NR.	SIZE
SKT/H/1-2/10D/UG	10 mm
SKT/H/1-2/11D/UG	11 mm
SKT/H/1-2/12D/UG	12 mm
SKT/H/1-2/13D/UG	13 mm
SKT/H/1-2/14D/UG	14 mm
SKT/H/1-2/15D/UG	15 mm
SKT/H/1-2/16D/UG	16 mm
SKT/H/1-2/17D/UG	17 mm
SKT/H/1-2/18D/UG	18 mm
SKT/H/1-2/19D/UG	19 mm
SKT/H/1-2/20D/UG	20 mm
SKT/H/1-2/21D/UG	21 mm
SKT/H/1-2/22D/UG	22 mm
SKT/H/1-2/23D/UG	23 mm
SKT/H/1-2/24D/UG	24 mm
SKT/H/1-2/26D/UG	26 mm
SKT/H/1-2/27D/UG	27 mm
SKT/H/1-2/28D/UG	28 mm
SKT/H/1-2/29D/UG	29 mm
SKT/H/1-2/30D/UG	30 mm
SKT/H/1-2/32D/UG	32 mm



HAND SOCKETS

HEX
1/2" DRIVE

SKT-12H



CAT NR.	SIZE
SKT/H/1-2/8/UG	8 mm
SKT/H/1-2/9/UG	9 mm
SKT/H/1-2/10/UG	10 mm
SKT/H/1-2/11/UG	11 mm
SKT/H/1-2/12/UG	12 mm
SKT/H/1-2/13/UG	13 mm
SKT/H/1-2/14/UG	14 mm
SKT/H/1-2/15/UG	15 mm
SKT/H/1-2/16/UG	16 mm
SKT/H/1-2/17/UG	17 mm
SKT/H/1-2/18/UG	18 mm
SKT/H/1-2/19/UG	19 mm
SKT/H/1-2/20/UG	20 mm
SKT/H/1-2/21/UG	21 mm
SKT/H/1-2/22/UG	22 mm
SKT/H/1-2/23/UG	23 mm
SKT/H/1-2/24/UG	24 mm
SKT/H/1-2/25/UG	25 mm
SKT/H/1-2/26/UG	26 mm
SKT/H/1-2/27/UG	27 mm
SKT/H/1-2/28/UG	28 mm
SKT/H/1-2/29/UG	29 mm
SKT/H/1-2/30/UG	30 mm
SKT/H/1-2/32/UG	32 mm
SKT/H/1-2/33/UG	33 mm
SKT/H/1-2/36/UG	36 mm



SOCKET SET

46 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/HSK/1-4/46	<p>Constituents</p> <p>13 pcs : Hex Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm</p> <p>6 pcs : Hex Bit Socket: 3, 4, 5, 6, 7 & 8 mm</p> <p>3 pcs : Slotted Bit Socket: 4.4, 5.5 & 7 mm</p> <p>3 pcs : Phillips Bit Socket: PH1, PH2 & PH3</p> <p>3 pcs : Pozi Bit Socket: PZ1, PZ2 & PZ3</p> <p>7 pcs : Torx Bit Socket: T8, T10, T15, T20, T25, T30 & T40</p> <p>4 pcs : Hex Keys</p> <p>1 pc : Ratchet Handle</p> <p>2 pc : Extension Bar: 2" (50 mm), 4" (100 mm)</p> <p>1 pc : Universal Joint</p> <p>1 pc : Sliding T Bar</p> <p>1 pc : Spinner Handle</p> <p>1 pc : Flexible Extension</p>

SOCKET SET

13 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/SKT/H/1-2/13/UG	Constituents 11 pcs : 1/2" Hex Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm 1 pc : 1/2" Ratchet Handle 1 pc : 1/2" Extension Bar: 5" (125 mm)

SOCKET SET

8 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/SKT/H/3-8/8L/UG	Constituents 8 pcs : Hex Sockets: 6, 8, 10, 12, 13, 14, 17, 19 mm



SOCKET SET

9 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/SKT/H/1-2/9L/UG	Constituents 9 pcs : 1/2" Hex Sockets: 8, 9, 10, 12, 13, 14, 17, 19, 22 mm

SOCKET SET

25 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/HSK/1-2/25	Constituents 18 pcs : Hex Sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30 & 32 mm 2 pcs : Spark Plug Sockets: 5/8" (16 mm), 13/16" (21 mm) 2 pc : Extension Bar: 5" (125 mm), 10" (250 mm) 1 pc : Universal Joint 1 pc : Sliding T-Bar 1 pc : Ratchet Handle

SOCKET SET

6 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/BIT-SKT/SPL/1-2/6/UG	Constituents 6 pcs : 1/2" Spline Bit Sockets 55 mm length : M6, M8, M10 100 mm length : M8, M10, M12

SOCKET SET

9 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/SKT/H/3-8/9LH/UG	Constituents 8 pcs : Hex Sockets: 6, 8, 10, 12, 13, 14, 17, 19 mm 1 pc : Ratchet Handle

SOCKET SET

9 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/BIT-SKT/TX/1-2/9/UG	Constituents 9 pcs : 1/2" Torx Bit Sockets: T20, T25, T27, T30, T40, T45, T50, T55, T60

SOCKET SET

11 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/SKT/H/1-2/11LH/UG	Constituents 10 pcs : 1/2" Hex Sockets: 8, 9, 10, 12, 13, 14, 17, 19, 22, 24 mm 1 pc : 1/2" Ratchet Handle

IMPACT SOCKETS

HEX

1/2" DRIVE

ISKT-12



CAT NR.	SIZE
ISKT/H/1-2/10	10 mm
ISKT/H/1-2/11	11 mm
ISKT/H/1-2/12	12 mm
ISKT/H/1-2/13	13 mm
ISKT/H/1-2/14	14 mm
ISKT/H/1-2/15	15 mm
ISKT/H/1-2/16	16 mm
ISKT/H/1-2/17	17 mm
ISKT/H/1-2/18	18 mm
ISKT/H/1-2/19	19 mm
ISKT/H/1-2/21	21 mm
ISKT/H/1-2/24	24 mm
ISKT/H/1-2/27	27 mm



SOCKET SET

8 PC SET



CAT NR.	DESCRIPTION / SIZE
KIT/BIT-SKT/H/1-2/8/UG	Constituents 8 pcs : 1/2" Hex Bit Sockets: 5, 6, 7, 8, 10, 12, 14, 17 mm

HEX DEEP

1/2" DRIVE

ISKT-12D



CAT NR.	SIZE
ISKT/H/1-2/14D	14 mm
ISKT/H/1-2/17D	17 mm
ISKT/H/1-2/18D	18 mm
ISKT/H/1-2/19D	19 mm
ISKT/H/1-2/20D	20 mm
ISKT/H/1-2/21D	21 mm
ISKT/H/1-2/23D	23 mm
ISKT/H/1-2/24D	24 mm



SLIDING T BARS

SLTB



CAT NR.	SIZE
SLTB/1-2/UG	1/2" Drive, Length: 10" (250 mm)

EXTENSION BARS

DRXB



CAT NR.	SIZE
DRXB/1-2/5/UG	1/2" Drive, Length: 5" (125 mm)
DRXB/1-2/10/UG	1/2" Drive, Length: 10" (250 mm)

UNIVERSAL JOINTS

UVJ



CAT NR.	SIZE
UVJ/1-2/UG	1/2" Drive

ADAPTORS

SADP



CAT NR.	SIZE
SADP/3-4F/1-2M/UG	3/4" (F) to 1/2" (M)

HEX SPARK PLUG SOCKETS

SKT-SP



CAT NR.	SIZE
SKT/1-2/SP/16/UG	1/2" Drive, Hex Size: 16 mm
SKT/1-2/SP/21/UG	1/2" Drive, Hex Size: 21 mm

L HANDLE

LDH



CAT NR.	SIZE
LDH/1-2/UG	1/2" Drive, Length: 5" (125 mm)

SLIM LINE RATCHET HANDLES

CHROME VANADIUM
60 TEETH

RTD-SL



CAT NR.	DESCRIPTION / SIZE
RTD/SL/3-8/UG	3/8" Drive, Torque: 270 Nm
RTD/SL/1-2/UG	1/2" Drive, Torque: 670 Nm

OIL PUMP LEVER ACTION

UPTO 300 ML/STROKE

LBP-04



CAT NR.	DESCRIPTION / SIZE
LBP/04/PT	Suitable for 50-210 litre drums Inlet : 3/4"

OIL PUMP ROTARY BARREL

UPTO 4 L/20 TURNS

V10



CAT NR.	DESCRIPTION / SIZE
V10	Pump inlet : 1" Outlet : 3/4" Use on 50-210 litre drums

EZEE FLOW PUMP

UPTO 1L/15 STROKES

EZF-8



CAT NR.	DESCRIPTION / SIZE
EZF/8	Pump delivers on upward stroke

BUCKET OIL PUMP

UPTO 100 ML/STROKE

V12

V16



CAT NR.	DESCRIPTION / SIZE
WITHOUT WHEELS	
V12	Bucket capacity : 12 litres
V16	Bucket capacity : 16 litres
WITH WHEELS	
V12W	Bucket capacity : 12 litres
V16W	Bucket capacity : 16 litres

OIL PUMP KITS

WITH HD TROLLEY



CAT NR.	DESCRIPTION / SIZE
TMK/OP3/A/BSP	3:1 Air Operated Pump
TMK/OP5H/A/BSP	5:1 Air Operated Pump with Hose Reel

WITH DRUM CART



CAT NR.	DESCRIPTION / SIZE
TMK1/OP3H/B1/BSP	3:1 Air Operated Pump with Hose Reel
TMK1/OP3/B1/BSP	3:1 Air Operated Pump without Hose Reel
TMK1/OP5/B1/BSP	5:1 Air Operated Pump

OIL MANAGEMENT SYSTEM

OMS

Centralized system for new & waste oil management



AIR OPERATED DOUBLE DIAPHRAGM PUMP

AODD



CAT NR.	DESCRIPTION / SIZE
AODD/25/BAH/N	Size : 1" Casing : Aluminium Diaphragm : Hytrel

SIPHON PUMP

SPH-10



CAT NR.	DESCRIPTION / SIZE
SPH/10NR	With back flow valve

SIPHON PUMP

SPH



CAT NR.	DESCRIPTION / SIZE
SPH/1	For 5-20 litre pails Max. Flow Rate : 6.5 LPM
SPH/2	For 210 litre drums Max. Flow Rate : 17.5 LPM
SPH/3	For 210 litre drums Max. Flow Rate : 21 LPM



TWO-IN-ONE TRANSFER PUMP

BLG-5Q



CAT NR.	DESCRIPTION / SIZE
BLG/5Q	With Quick Connect Adaptor



OIL CANS

V SERIES



CAT NR.	DESCRIPTION / SIZE
V200R	Capacity : 200 ml
V300R	Capacity : 300 ml
V500R	Capacity : 500 ml



DEF TRANSFER PUMPS

ELECTRIC

EOP-DEF



CAT NR.	DESCRIPTION / SIZE
EOP/DEF/DC/12	Flow Rate : 35 LPM Power Supply : 12V DC
EOP/DEF/DC/24	Flow Rate : 35 LPM Power Supply : 24V DC
EOP/DEF/AC/230	Flow Rate : 40 LPM Power Supply : 230V AC

MEASURING JUGS

STACKABLE

JUG-S



CAT NR.	DESCRIPTION / SIZE
JUG/1G	Capacity : 1000 ml
JUG/2G	Capacity : 2000 ml

FLEXIBLE SPOUT MEASURES

MSR



CAT NR.	DESCRIPTION / SIZE
MSR/P/F-1	Capacity : 1 litre
MSR/P/F-2	Capacity : 2 litre
MSR/P/F-3	Capacity : 3 litre
MSR/P/F-5	Capacity : 5 litre
MSR/P/F/6	Capacity : 6 litre
MSR/P/F-8	Capacity : 8 litre



SMART FUNNELS



CAT NR.	DESCRIPTION / SIZE
FNL/8	Capacity : 1.7 litres
FNL/9B	Capacity : 3 litres Complete with 2" Bung For direct attachment on drums

FLEXIBLE FUNNEL

FNL-FX



CAT NR.	SIZE
FNL/FX/37-17	370 x 170

FUEL & OIL FUNNEL

WITH FILTER SCREEN

FNL-11



CAT NR.	DESCRIPTION / SIZE
FNL/11F	Capacity : 4.7 litres

CONICAL FUNNELS



CAT NR.	DESCRIPTION / SIZE
FNL/6	Capacity : 650 ml
FNL/7	Capacity : 1800 ml



MULTIPURPOSE FUNNEL SET

3 PIECES

FNL-3ST



CAT NR.	DESCRIPTION / SIZE
FNL/3/ST	Set includes: Radiator Funnel, Multi-Purpose Funnel, Quick Fill Funnel

DRUM WRENCH

DRW-AL



CAT NR.	DESCRIPTION / SIZE
DRW/AL-01	Aluminium die cast wrench designed to open 2" & 3/4" drum plugs

DRAIN PAN

ODP 8

ODP 16



CAT NR.	DESCRIPTION / SIZE
ODP/8	For use with Waste Oil, Capacity : 8 litre
OPD/8/GN	For use with Antifreeze, Capacity : 8 litre
ODP/16	For use with Waste Oil, Capacity : 16 litre
ODP/16/GN	For use with Antifreeze, Capacity : 16 litre



WASTE OIL DRAIN

WODP-8G



CAT NR.	DESCRIPTION / SIZE
WOD/P/8G	Tank capacity : 30 litres Bowl capacity : 13 litres



AIR/WATER HOSE REEL

AUTO - RETRACTABLE

HRE-AW



CAT NR.	DESCRIPTION / SIZE
HRE/AW/10M/3-8/B	Hose ID : 3/8" Working Pressure : 300 PSI Hose Length : 10 meter
HRE/AW/15M/3-8/B	Hose ID : 3/8" Working Pressure : 300 PSI Hose Length : 15 meter

AIR BLOW GUN

PROFESSIONAL

ABG-10



CAT NR.	DESCRIPTION / SIZE
ABG/10/1-4F/BSP	Comes with 4-1/2" steel tip

AIR/WATER HOSE REEL

HPR-AW



CAT NR.	DESCRIPTION / SIZE
HRP/AW/15M/3-8/B	Hose ID : 3/8" Working Pressure : 217 PSI Burst Pressure : 580 PSI

TYRE PRESSURE GAUGE

TYG



CAT NR.	DESCRIPTION / SIZE
TYG/10-150/D	Accuracy: ± 3 PSI



WORKLIGHT

DUAL POWER
IK07 & IP54

LED-670



CAT NR.	DESCRIPTION / SIZE
LED/670	Lumens : 2800 Max. Run Time : 4 Hrs Dual Power Source : 4400mAh Li-Ion Rechargeable Battery & 220V AC, 50Hz

FOLDABLE WORKLIGHT

AC POWERED
IK08 & IP54

LED-616 EU



CAT NR.	DESCRIPTION / SIZE
LED/616/EU	Lumens : 4000 AC Powered with 4.5m cable

CORDLESS SITELAMP


3 HEAD DESIGN
IK07 & IP54

LED-685

LED-685T



CAT NR.	DESCRIPTION / SIZE
LED/685	Lumens : 2800 4000mAh Li- Ion Rechargeable Battery
LED/685T	Lumens - 2800 4000mAh Li- Ion Rechargeable Battery Comes with Telescopic Tripod Stand



WORKLIGHT

GLARE FREE - POCKET SIZED
IK07 & IP65

LED-398



CAT NR.	DESCRIPTION / SIZE
LED/398	Lumens : 600 2600mAh Li- Ion Rechargeable Battery

WORKLIGHT

MULTIPLE FUNCTIONS
IK07 & IP54

LED-176



CAT NR.	DESCRIPTION / SIZE
LED/176	Lumens : 800 2800mAh Li- Ion Rechargeable Battery

3-IN-1 QUICK CONNECT

WORKLIGHT KIT
IK07 & IP54

LED-187



CAT NR.	DESCRIPTION / SIZE
LED/187	Kit includes 3 interchangeable heads: a. Flashlight b. Flexible Worklight with magnetic pick-up c. Foldable Worklight 4000mAh Li-Ion Rechargeable Battery



UNDERHOOD LIGHT

MAGNETIC ENDS
IK07

LED-355



CAT NR.	DESCRIPTION / SIZE
LED/355	Lumens : 1000 Max. Run Time : 5 Hrs 2600mAh Li-Ion Rechargeable Battery



FLASHLIGHT

SUPERBRIGHT
IPX6

LED-191



CAT NR.	DESCRIPTION / SIZE
LED/191	Lumens : 1200 2000mAh Li- Po Rechargeable Battery

NECK LIGHT

RECHARGEABLE

IK07

LED-145



CAT NR.	DESCRIPTION / SIZE
LED/145	Lumens : 300 Max. Run Time : 10 Hrs 2000mAh Li-Po Rechargeable Battery




HEAD LAMP

DUAL MODE & HAND SENSOR

LED-225



CAT NR.	DESCRIPTION / SIZE
LED/670	Lumens - 500 Max. Run Time : 10 Hrs Dual Power Source : 1000mAh Li-Po Rechargeable Battery & 3 x AAA Battery




WORKLIGHT

SLIM LINE

LED-337



CAT NR.	DESCRIPTION / SIZE
LED/337	Lumens : 360 Max. Run Time : 8 Hrs 1800mAh Li- Ion Rechargeable Battery



GET IN TOUCH WITH US!



GROZ has an extensive sales team across India, to help you out with any query related to product, application or installation.

AREA	EMAIL ADDRESS
NORTH	
Bhiwadi	grozgurgaon6@groz-tools.com
Chandigarh	grozchandigarh@groz-tools.com
Delhi	grozdelhi@groz-tools.com
Faridabad	grozgurgaon1@groz-tools.com
Ghaziabad	grozghaziabad@groz-tools.com
Gurugram	grozgurgaon3@groz-tools.com
Lucknow	grozlucknow@groz-tools.com
Ludhiana	grozludhiana@groz-tools.com
Rudrapur	grozrudrapur@groz-tools.com
EAST	
Bhubaneshwar	grozorissa@groz-tools.com
Durgapur	grozdurgapur@groz-tools.com
Guwahati	grozguwahati@groz-tools.com
Jamshedpur	grozjamshedpur@groz-tools.com
Kolkata	grozkolkata@groz-tools.com
Patna	grozpatna@groz-tools.com
Rourkela	grozrourkela@groz-tools.com
WEST	
Ahmedabad	grozahmedabad@groz-tools.com
Indore	grozindore@groz-tools.com
Jaipur	grozjaipur@groz-tools.com
Mumbai	grozmumbai@groz-tools.com
Nagpur	groznagpur@groz-tools.com
Pune	grozpune1@groz-tools.com
Raipur	grozraipur@groz-tools.com
Rajkot	grozrajkot@groz-tools.com
Satna	grozsatna@groz-tools.com
Udaipur	grozudaipur@groz-tools.com
Vadodara	grozvadodara@groz-tools.com
SOUTH	
Bengaluru	grozbengaluru@groz-tools.com
Chennai	grozchennai@groz-tools.com
Coimbatore	grozcoimbatore@groz-tools.com
Hubli	grozhubli@groz-tools.com
Hyderabad	grozhyderabad@groz-tools.com
Kerala	grozkerala@groz-tools.com
Vizag	grozvizag@groz-tools.com
Vijayawada	grozvijayawada@groz-tools.com

All spare parts and kits are available. For any service and spare parts related queries, write to us at care.dom@groz-tools.com



GROZ ENGINEERING TOOLS PVT. LTD.
GROZ NET INDUSTRIES

Village Kherki Daula, National Highway-8,
Gurugram-122004, Haryana, India

TEL +91.124.282.7700 / 9599117747 / 9971095764

EMAIL india@groz-tools.com
customersupportdomestic@groz-tools.com

URL www.groz-tools.com

CONNECT WITH US!



For circulation in INDIA & SAARC Nations

The GROZ name, GROZ logo and the  mark are trademarks of Groz Engineering Tools Pvt. Ltd., India